

STATEMENT OF ENERGY PERFORMANCE

MDT-Glendive West
123 River Road
Glendive MT 59330

Date: 8/10/2018
Year Built: 1980

	Baseline:	2012	12/31/2013	Current:
Energy Date:	6/30/2009	11/30/2012	12/31/2013	11/30/2012
Energy Star Score:	N/A	N/A	N/A	N/A
Gross Floor Area:	19,500	19,500	19,500	19,500 Sq. Ft.
Heating Degree Days	7,716	6,410	7,024	6,410
Cooling Degree Days	812	1,124	845	1,124

Reported Annual Energy Use:

Site Energy Use:	763.15	746.39	N/A	746.39 MBTU
Site EUI:	39,136	38,276	N/A	38,276 BTU/ft ²
Electricity:	82,256	69,446	0	69,446 kWh
Max Electric Demand:	0	0	0	0 kW
Natural Gas:	4,825	5,094	0	5,094 Therms

Reported Annual Energy Cost:

Electricity Cost:	\$7,165	\$6,667	\$0	\$6,667
Electric Demand Cost:	\$0	\$0	\$0	\$0
Natural Gas Cost:	\$4,196	\$3,336	\$0	\$3,336
Energy Cost/ft ²	\$0.583	\$0.513	N/A	\$0.513

Weather Normalized Energy Use:

Site Energy Use:	758.18	846.82	N/A	846.82 MBTU
Site EUI:	38,881	43,427	N/A	43,427 BTU/ft ²
Electricity:	82,256	69,446	0	0 kWh
Natural Gas:	4,775	6,099	0	6,099 Therms

National Median Energy Use:

Site Energy Use:	1536.99	1401.14	1401.14	1401.14 MBTU
Site EUI:	78,820	71,854	71,854	71,854 BTU/ft ²

Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Direct Emissions:	25.6	27.1	0	0
Indirect Emissions:	34.1	28.8	0	28.8
Total Emissions:	59.7	55.8	N/A	55.8

National Median Annual Greenhouse Gas Emissions (Metric Tons CO2 equivalent):

Total Emissions:	103.3	104.8	104.8	104.8
------------------	-------	-------	-------	-------

% Difference from National Median:

Site EUI:	-50.35	-46.73	N/A	-46.73
Total Emissions:	-42.21	-46.76	N/A	-46.76

Adjusted Energy Based on Current Year:

Site Energy Use:	N/A	N/A	N/A	N/A	MBTU
Site EUI:	N/A	N/A	N/A	N/A	BTU/ft ²

% Difference Adjusted Site Energy Use

2012 to Baseline	N/A
2013 to Baseline	N/A
Current to Baseline	N/A
Current to 2013	N/A